

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1352	((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) with (protocol or capability or attribute)) same ((final or destination or receiv\$5 or transfer\$5 or second) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) with (protocol or capability or attribute))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 15:42
S2	13	S1 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (protocol or capability or attribute) with (((transmitting or transmitter or sender or sending or originator or originating or client) adj3 (side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 15:42

		<p>or printer or printing or copier or copying or scanner or scanning) or user or client)) same ((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning)) same ((final or destination or receiv\$5 or transfer\$5 or second) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning)))</p>				
S3	2952	<p>((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) with (property or protocol or capability or attribute)) same ((final or destination or receiv\$5 or transfer\$5 or second) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or</p>	<p>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</p>	OR	ON	<p>2009/02/05 15:53</p>

		scanning) with (property or protocol or capability or attribute))				
S4	236	S3 and (((transmitting or transmitter or sender or sending or originator or originating or client or host) adj3 (device or side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning)) with (communicat\$5 or connect\$5 or transmi\$7 or send \$5) with ((relay\$5 or transit or intermediate or rout \$5 or central or server or transfer\$5 or first) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:01
S6	19	S4 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (property or protocol or capability or attribute)) same (((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first) adj3 (fax or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:06

		facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning)) with (property or protocol or capability or attribute))				
S7	16	S6 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (property or protocol or capability or attribute)) same (((final or destination or receiv\$5 or transfer\$5 or second) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing or copier or copying or scanner or scanning) with (property or protocol or capability or attribute)) with (property or protocol or capability or attribute))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:07
S8	4	S7 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (property or protocol or capability or attribute)) same (beginning or commenc\$6 or start\$5 or begin or initiat\$4) with	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:10

		(communicat\$6 or transmi\$7 or send \$5)				
S9	2743	((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first or gateway) adj4 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing) with (property or protocol or capability or attribute)) same ((final or destination or receiv\$5 or transfer\$5 or second) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing) with (property or protocol or capability or attribute))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:32
S10	236	S3 and (((transmitting or transmitter or sender or sending or originator or originating or client or host) adj3 (device or side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5 or printer or printing)) with (communicat\$5 or connect\$5 or transmi\$7 or send \$5) with ((relay\$5 or transit or intermediate or rout \$5 or central or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:33

		server or transfer\$5 or first or gateway) adj3 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing)))				
S11	3240	((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first or gateway) adj4 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing) with (property or protocol or capability or attribute)) same ((final or destination or receiv\$5 or transfer\$5 or second) adj4 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing) with (property or protocol or capability or attribute))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:33
S12	360	S11 and (((transmitting or transmitter or sender or sending or originator or originating or client or host) adj4 (device or side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5 or printer or printing)) with (communicat\$5 or connect\$5 or transmi\$7 or send	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:34

		\$5) with ((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first or gateway) adj4 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing)))				
S13	39	S12 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (property or protocol or capability or attribute)) same (((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first or gateway) adj4 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing)) with (property or protocol or capability or attribute))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:35
S14	34	S13 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (property or protocol or capability or attribute)) same (((final or destination or receiv\$5 or transfer\$5 or second) adj4 (fax or facsimile or mfp or multi\$3function\$5 or printer or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:36

		printing) with (property or protocol or capability or attribute)))				
S15	4	S14 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (property or protocol or capability or attribute)) same (beginning or commenc\$6 or start \$5 or begin or initiat \$4) with (communicat\$6 or transmi\$7 or send \$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:36
S16	5	S14 and ((notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (property or protocol or capability or attribute)) same (beginning or commenc\$6 or start \$5 or begin or initiat \$4) same (communicat\$6 or transmi\$7 or send \$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:37
S17	6	S14 and ((property or protocol or capability or attribute) with (color or monochrom\$6 or simplex or duplex or black\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:49

S18	294	((transmitting or transmitter or sender or sending or originator or originating or client or host) adj4 (device or side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5 or printer or printing) with (receiv\$5) with (function or functionality or property or capability or attribute)) same (((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first or gateway) adj4 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing)) with (function or functionality or property or capability or attribute))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:55
S19	206	S18 and ((transmitting or transmitter or sender or sending or originator or originating or client or host) adj4 (device or side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5 or printer or printing) with (receiv\$5) with (function or functionality or property or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:57

		capability or attribute)) same ((final or destination or receive\$5 or transfer\$5 or second) adj4 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing) with (function or functionality or property or capability or attribute))				
S20	41	S19 and ((function or functionality or property or capability or attribute) with (receive\$5 or transmit\$7 or send\$5)) same ((beginning or commencement\$6 or start\$5 or begin or initiate\$4) with (communication\$6 or transmit\$7 or send\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:58
S21	158	((transmitting or transmitter or sender or sending or originator or originating or client or host) adj4 (device or side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5 or printer or printing) with (receive\$5) with (function or functionality or property or capability or attribute)) same (((relay\$5 or transit or intermediate or route\$5 or central or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 17:34

		server or transfer\$5 or first or gateway) adj4 (printer or printing)) with (function or functionality or property or capability or attribute))				
S22	94	S21 and ((transmitting or transmitter or sender or sending or originator or originating or client or host) adj4 (device or side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5 or printer or printing) with (receiv \$5) with (function or functionality or property or capability or attribute)) same ((final or destination or receiv\$5 or transfer\$5 or second) adj4 (printer or printing) with (function or functionality or property or capability or attribute))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 17:34
S23	12	S22 and ((function or functionality or property or capability or attribute) with (receiv\$5 or transmi \$7 or send\$5)) same ((beginning or commenc\$6 or start\$5 or begin or initiat\$4) with (job or request or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 17:35

		communicat\$6 or transmi\$7 or send \$5))				
S24	4	S22 and ((function or functionality or property or capability or attribute) with (notified or notification or notifies or notify)) same ((beginning or commenc\$6 or start\$5 or begin or initiat\$4) with (job or request or communicat\$6 or transmi\$7 or send \$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 17:40
S25	4	S22 and ((function or functionality or property or capability or attribute) with (notified or notification or notifies or notifying)) same ((beginning or commenc\$6 or start \$5 or begin or initiat \$4) with (job or request or communicat\$6 or transmi\$7 or send \$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 17:41
S26	1	"5621894".pn. and printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 17:51
S27	54	("5621894").URPN.	USPAT	OR	ON	2009/02/05 17:52
S28	0	S21 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 17:52

S29	7	S9 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 17:53
S30	0	"6940615".pn. and (fax or facsimile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 17:55
S31	3240	((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first or gateway) adj4 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing) with (property or protocol or capability or attribute)) same ((final or destination or receiv\$5 or transfer\$5 or second) adj4 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing) with (property or protocol or capability or attribute))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 09:24
S32	4	kagawa.in. and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 09:24

S33	356	((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first or gateway) adj4 (fax or facsimile or mfp or multi\$3function\$5) with (property or capability or attribute or color or monochrom\$6)) same ((final or destination or receiv\$5 or transfer\$5 or second) adj4 (fax or facsimile or mfp or multi\$3function\$5 or printer or printing) with (property or capability or attribute or color or monochrom\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 09:29
S36	69	S33 and ((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first or gateway) adj4 (fax or facsimile or mfp or multi\$3function\$5) with ((transmitting or transmitter or sender or sending or originator or originating or client or host) adj4 (device or side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 09:34

S37	47	S36 and ((transmitting or transmitter or sender or sending or originator or originating or client or host) adj4 (device or side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5)) with (receiv\$5 or notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (property or capability or attribute or color or monochrom\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 09:35
S38	1	kagawa.in. and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 09:36
S39	16	S37 and ((receiv\$5 or notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (property or capability or attribute or color or monochrom\$6)) same ((beginning or commenc\$6 or start\$5 or begin or initiat\$4 or phase) with (data or communicat\$6 or transmi\$7 or send \$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 09:38
S40	5	S39 and ((relay\$5 or transit) with (image or data or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 09:51

S41	14	S39 and ((transfer\$5 or relay\$5 or transit) with (image or data or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 09:52
S42	8	"316908".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 09:59
S43	358	((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first or gateway or primary or main) near4 (fax or facsimile or mfp or multi\$3function\$5) with (speed or rate or ((memory or stor\$6 or buffer\$5) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$6)) same ((final or destination or receiv\$5 or transfer\$5 or second\$5) near (fax or facsimile or mfp or multi\$3function\$5) with (speed or rate or ((memory or stor\$6 or buffer\$5) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 10:01

S44	1208	((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first or gateway or primary or main) near4 (fax or facsimile or mfp or multi\$3function\$5) with (speed or rate or ((memory or stor\$6 or buffer\$5) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$6)) same ((final or destination or receiv\$5 or transfer\$5 or second\$5) near4 (fax or facsimile or mfp or multi\$3function\$5) with (speed or rate or ((memory or stor\$6 or buffer\$5) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 10:02
S45	310	S44 and ((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first or gateway) near4 (fax or facsimile or mfp or multi\$3function\$5) with ((transmitting or transmitter or sender or sending or originator or originating or client or host) near4 (device or side or computer or pc or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 10:04

		terminal or fax or facsimile or mfp or multi\$3function\$5)))				
S46	196	S45 and ((transmitting or transmitter or sender or sending or originator or originating or client or host) near4 (device or side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5)) with (receiv\$5 or notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (speed or rate or ((memory or stor\$6 or buffer\$5) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 10:05
S47	80	S46 and ((receiv\$5 or notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (speed or rate or ((memory or stor\$6 or buffer\$5) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$6)) same ((beginning or commenc\$6 or start\$5 or begin or initiat\$4 or phase) with (data or communicat\$6 or transmi\$7 or send	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 10:05

		\$5))				
S48	45	S47 and ((relay\$5 or transit) with (image or data or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 10:06
S49	0	"5666489".pn. and (address with computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 11:07
S50	1	"5666489".pn. and (address with pc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 11:07
S51	1	"5666489".pn. and (call\$ with pc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 11:08
S52	1	"5666489".pn. and (call\$3 with pc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 11:08
S53	1	"5666489".pn. and (parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 11:10
S54	1	"5666489".pn. and (period\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 11:28
S55	1	"5666489".pn. and (updat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 11:29
S56	0	"5666489".pn. and (retry\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 11:29

S57	1	"5666489".pn. and (chang\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 11:30
S58	0	"5666489".pn. and (receiv\$5 with "32")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:04
S59	0	"5666489".pn. and (receiv\$5 same "32")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:05
S60	0	"5666489".pn. and (receiv\$5 with macine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:05
S61	1	"5666489".pn. and (receiv\$5 with machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:05
S62	0	"5666489".pn. and (transmi\$5 with "32")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:06
S63	1	"5666489".pn. and (receiv\$5 with "30")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:06
S64	2	"5666489".pn. and (determin\$7 with capability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:29
S65	0	"5666489".pn. and (determin\$7 with capability) same standalone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:29

S66	1	"5666489".pn. and (determin\$7 with capability) same stand\$5alone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:29
S67	1	"5666489".pn. and (determin\$7 with capability with stand \$5alone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:33
S68	1	"5666489".pn. and (determin\$7 with stand\$5alone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:33
S69	0	"5666489".pn. and (enough with stand \$5alone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:34
S70	0	"5666489".pn. and (capable with stand \$5alone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:34
S71	1	"5666489".pn. and (capability with stand\$5alone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:37
S72	0	"5666489".pn. and (capability with stand\$5alone with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:38
S73	1	"5666489".pn. and (capability with (chang\$5 or updat \$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:57
S74	1	"5666489".pn. and (capability with (chang\$5 or updat \$5)) same transfer \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:58

S75	1	"5666489".pn. and (capability with (chang\$5 or updat \$5)) same2 transfer \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:59
S76	2	"5552901".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 13:58
S77	0	"5666489".pn. and periodical\$7 same capability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:30
S78	1	"5666489".pn. and periodical\$7 same3 capability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:30
S79	0	"5666489".pn. and second near3 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:40
S80	1	"5666489".pn. and second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:40
S81	1	"5666489".pn. and busy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:41
S82	0	"5666489".pn. and retr\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:42
S83	1	"5666489".pn. and repeat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:42

S84	1	"5666489".pn. and respond\$5 same call\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 14:42
S85	1	"5666489".pn. and (email or mail or e- mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:07
S86	2	"5666489".pn. and (print\$5 same pc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:41
S87	2	"5666489".pn. and (print\$5 with pc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:42
S88	2	"6333789".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:52

2/9/09 10:06:22 AM

**C:\Documents and Settings\bmenberu\My Documents\EAST\Workspaces\09881402.020509.
wsp**